Indice

Bibliografia

Per semplificare e rendere più breve l'elenco bibliografico, si sono usate le seguenti abbreviazioni:

AASHTO	American Association of State Highway and Transportation Officials
ACI	American Concrete Institute, Detroit, MI
JACI	*Journal of American Concrete Institute* (mensile)
ASCE	American Society of Civil Engineers, New York, NY
JGED	*Journal of Geotechnical Engineering Division ASCE* (1974-)
JSMFD	*Journal of Soil Mechanics and Foundation Division ASCE* (1955-1973)
SMFE	*Soil Mechanics and Foundation Engineering*
PSC	*Proceedings of Soil Mechanics and Foundation Division ASCE*, congressi specializzati dedicati agli argomenti seguenti:

1. Resistenza a taglio di terreni coesivi (1960)
2. Progetto di fondazioni per il controllo dei cedimenti (1964)
3. Miglioramento dei terreni da costruzione (1968)
4. Sforzi laterali nel terreno e progetto di strutture di sostegno del terreno (1970)
5. Prestazioni di strutture in terra e di strutture di sostegno del terreno (1972)
6. Analisi e progetto in ingegneria geotecnica (1974)
7. Misurazione in situ delle proprietà del terreno (1975)
8. Meccanica delle rocce per fondazioni e stabilità di pendii (1976)
9. Geotecnica applicata allo smaltimento di rifiuti solidi (1977)
10. Ingegneria sismica e dinamica dei terreni (1978)
11. Uso di iniezioni di malta in ingegneria geotecnica (1982)
12. Ingegneria e tecniche costruttive in terreni tropicali e residui (1982)
13. Geotecnica applicata all'ingegneria off-shore (1983)
14. Uso di prove in situ in ingegneria geotecnica (1986)

JSD	*Journal of Structural Division ASCE*
ASME	American Society for Mechanical Engineers
ASTM	American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA
STP	*Special Technical Publication* (con il numero appropriato)

AWPI American Wood Preservers Institute, 2600 Virginia Avenue, Washington, DC
CGJ *Canadian Geotechnical Journal*, Ottawa, Canada
ENR *Engineering News-Record*, New York (settimanale)
ICE *Insitution of Civil Engineers*, Londra
PICE *Proceedings of Institution of Civil Engineers*
ICSMFE *Proceedings of International Conferences on Soil Mechanics and Foundation Engineering*

1. Harward University, USA (1936)
2. Rotterdam, Olanda (1948)
3. Zurigo, Svizzera (1953)
4. Londra, GB (1957)
5. Parigi, Francia (1961)
6. Montreal, Canada (1965)
7. Città del Messico, Messico (1969)
8. Mosca, URSS (1973)
9. Tokyo, Giappone (1977)
10. Stoccolma, Svezia (1981)
11. San Francisco, USA (1985)

Geotechnique, pubblicato dalla Institution of Civil Engineers, Londra

Highway Research Board (HRB), Highway Research Record (HRR), ecc., pubblicati dalla National Academy of Sciences, Washington, DC.

La dicitura "et al." è usata insieme al nome del primo autore quando un lavoro presenta più di due coautori.

AASHTO (1983), Standard Specifications for Highway Bridges, 13ª ed.
ACI (1977), Recommended Practice for Design and Construction of Concrete Bins, Silos and Bunkers for Storing Granular Materials, *ACI Committee 313 Report*.
ACI Committee 336 (1987), Suggested Design Procedures for Combined Footings and Mats, *ACI Committee 336 Report*.
AISC (1980), *Steel Construction Manual*, 8ª ed., American Institute of Steel Construction, Chicago.
AISI (1975), Steel Pile Load Test Data, *American Iron and Steel Institute*, Washington.
Aas, G., et al. (1986), "Use of In Situ Tests For Foundation Design on Clay", *14th PSC*, ASCE, pp. 1-30.
Abdelhamid, M.S., R.J. Krizek (1976), "At-Rest Lateral Earth Pressure of a Consolidating Clay", JGED, ASCE, vol. 102, GT 7, luglio, pp. 721-738.
Acar, Y.B., et al. (1982), "Interface Properties of Sand", JGED, ASCE, vol. 108, n. 4, aprile pp. 648-654.
Aldrich, H.P. (1965), "Precompression for Support of Shallow Foundations", JSMFD, ASCE, vol. 91, SM 2, marzo, pp. 5-20.
Alizadeh, M., M.T. Davisson (1970), "Lateral Load Tests on Piles—Arkansas River Project", JSMFD, ASCE, vol. 96, SM 5, settembre, pp. 1583-1604.
Alpan, I. (1967), "The Empirical Evaluation of the Coefficient K_O and K_{OR}", Soil and Foundations, Tokyo, vol. 7, n. 1, gennaio, pp. 31-40.
Anderlands, O.B., D.M. Anderson (1978), *Geotechnical Engineering for Cold Regions*, McGraw-Hill Book Co.
Anderson, D.G., et al. (1978), "Estimating in Situ Shear Moduli at Competent Sites", *10th PSC*, ASCE, vol. 1, pp. 181-187.

API (1984), API Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms, 15ª ed., *American Petroleum Institute*, API RP2A.
Arman, A., et al. (1975), "Study of the Vane Shear", *7th PSC*, ASCE, vol. 1, pp. 93-120.
Arthur, J.R., B.K. Menzies (1972), "Inherent Anisotropy in Sand", Geotecnique, vol. 22, n. 1, marzo, pp. 115-128.
Arya, S., et al. (1979), *Design of Structures and Foundations for Vibrating Machines*, Gulf Publishing Co., Houston.
ASCE (1974), "Design of Steel Transmission Pole Structures", JSD, ASCE vol. 100, ST 12, dicembre, pp. 2449-2518.
ASCE (1966), Revised Bibliography on Chemical Groutine, JSMFD, ASCE, vol. 92, SM 6, novembre, pp. 39-66.
ASCE (1959), Timber Piles and Construction Timbers, Manual of Practice n. 17.
ASCE (1946), Pile Foundations and Pile Structures, Manual of Practice n. 27.
ASCE (1941), "Pile-driving Formulas", *Proc. ASCE*, vol. 67, n. 5, maggio, pp. 853-866.
Aschenbrenner, R., (1967), Three Dimensional Analysis of Pile Foundations, *JSD*, ASCE, vol. 93, ST 1, febbraio, pp. 201-219.
ASTM (1971), *Underwater Soil Sampling, Testing and Construction Control*, ASTM *STP* n. 501.
AWPI (1981), AE Concepts in Wood Design (Piling Issue), vol. 1, n. 4, gennaio-febbraio.
AWPI (1969), Pile Foundations Know-How.
AWPI (1967), Pressure Treated Timber Foundation Piles for Permanent Structures.
AWPI (1966), Timber Pile Foundations Pile Study.
Azzouz, A.S., et al. (1976), "Regression Analysis of Soil Compressibility", Soils and Foundations, Tokyo, vol. 16, n. 2, pp. 19-29.

Baguelin, F., et al. (1974), "Self-Boring Placement Method of Soil Characteristics Measurement, "*Proceedings Conference on Subsurface Exploration for Underground Excavation and Heavy Construction*, ASCE, pp. 312-322.
Baldi, G., et al. (1986), "Flat Dilatometer Tests in Calibration Chambers", *14th PSC*, ASCE, pp. 431-446.
Baldi, G., et al. (1981), "Cone Resistance in Dry NC and OC Sands", *Proc. Session: Cone Penetration Testing and Experience*, ASCE, pp. 145-177.
Baligh, M.M., et al. (1978), "Downdrag on Bitumen-Coated Piles", *JGED*, ASCE vol. 104, GT 11, novembre, pp. 1355-1369.
Balla, A. (1961), "The Resistance to Breaking Out of Mushroom Foundations for Pylons", *5th ICSMFE*, vol. 1, pp. 569-576.
Barden, L. (1962), "Distribution of Contact Pressure Under Foundations", *Geotechnique*, vol. 18, n. 1, marzo, pp. 1-24.
Barkan, D.D. (1962), *Dynamics of Bases and Foundations*, McGraw-Hill Book Co.
Begemann, H. (1974), "General Report: Central and Western Europe", European Symposium on Penetration Testing, Stoccolma, vol. 2.1, pp. 29-39.
Bell, A.L. (1915), "The Lateral Pressure and Resistance of Clay, and the Supporting Power of Clay Foundations" in *A Century of Soil Mechanics*, *ICE*, Londra, pp. 93-134.
Benoit, J., G.W. Clough (1986), "Self-Boring Pressuremeter Tests in Soft Clay", *JGED*, vol. 112, n. 1, gennaio, pp. 60-78.
Bhatacharya, R.K. (1968), Stresses and Displacements in Cross-Anisotropic Layerad, Elastic Halfspace Due to Axi-Symmetric Loadings on the Top Surface, tesi di laurea, University of Wisconsin, Madison.
Bhushan, K. (1982), "Discussion: New Design Correlations for Piles in Sands", *JGED*, ASCE, GT 11, novembre, pp. 1508-1510.
Bhushan, K., S. Askari (1984), "Lateral-Load Tests on Drilled Pier Foundations for Solar Plant Heliostats", ASTM *STP* n. 835, pp. 140-156.

Bhushan, K., et al. (1978), "Lateral Load Tests on Drilled Piers in Stiff Clays", ASCE Spring Convention, Pittsburg, Preprint n. 3248.

Bjerrum, L. (1972), "Embankments on Soft Ground", *5th PSC*, ASCE, vol. 2, pp. 1-54.

Bjerrum, L., O. Eide (1956), "Stability of Strutted Excavations in Clay", *Geotechnique*, vol. 6, n. 1, marzo pp. 32-47.

Bjerrum, L., R. Kirkedam (1958), "Some Notes on Earth Pressures in Stiff Fissured Clay", *Proc. Brussels Conf. on Earth Pressure Problems*, pp. 15-27.

Bjerrum, L., N.E. Simons (1960), "Comparison of Shear Strength Characteristics of Normally Consolidated Clays", *1st PSC*, ASCE, pp. 711-726.

Bjerrum, L. et al. (1969), "Reduction of Negative Skin Friction on Steel Piles to Rock", *7th ICSMFE*, vol. 2, pp. 27-34.

Blanchet, R., et al. (1980), "Behavior of Friction Piles in Soft Sensitive Clays", *CGJ*, vol. 17, n. 2, maggio, pp. 203-224.

Borowicka, H. (1936), "Influence of Rigidity of a Circular Foundation Slab on the Distribution of Pressures over a Contact Surface", *1st ICSMFE*, vol. 2, pp. 144-149.

Bowles, J.E. (1987), "Elastic Foundation Settlements on Sand Deposits", *JGED*, ASCE, vol. 113, n. 8, pp. 846-860.

Bowles, J.E. (1986*a*), "Mat Design", *Journal ACI*, vol. 83, n. 6, novembre-dicembre, pp. 1010-1017.

Bowles, J.E. (1986*b*), *Engineering Properties of Soils and Their Measurement*, 3ª ed., McGraw-Hill Book Co.

Bowles, J.E. (1984), *Physical and Geotechnical Properties of Soils*, 2ª ed., McGraw-Hill Book Co.

Bowles, J.E. (1983), "Pile Cap Analysis", *Proc. 8th Conf. on Electronic Computation*, ASCE, pp. 102-113.

Bowles, J.E. (1980), *Structural Steel Design Data*, McGraw-Hill Book Co.

Bowles, J.E. (1974*a*), *Analytical and Computer Methods in Foundation Engineering*, McGraw-Hill Book Co.

Bowles, J.E. (1974*b*), Foundations for Family Housing, *Technical Report D*-20: Systems Approach to Site Development, CERL, Champaign.

Bozozuk, M. (1974), "Minor Principal Stress Measurements in Marine Clay with Hydraulic Fracture Tests", *Proc. Conf. on Subsurface Exploration for Underground Excavation and Heavy Construction*, ASCE, pp. 333-349.

Bozozuk, M. (1972), "Downdrag Measurements on a 160-ft Floating Pipe Test Pile in Marine Clay", *CGJ*, vol. 9, n. 2, maggio, pp. 127-136.

Bozozuk, M. et al. (1979), "Analysis of Load Tests on Instrumented Steel Test Piles in Compressible Silty Soil", ASTM, *STP* n. 670, pp. 153-180.

BRAB (1968), Criteria for Selection and Design of Residential Slabs-on-Ground, *Building Research Advisory Board*, FHA Report 33, Washington.

Brand, E.W., et al. (1972), "Load Tests on Small Foundations in Soft Clay", *5th PSC*, ASCE, vol. 1, parte 2, pp. 903-928.

Briaud, J.L., M. Gambin (1984), "Suggested Practice for Drilling Boreholes for Pressuremeter Testing", *Geotech. Testing Journal*, ASTM, vol. 7, n. 1, marzo, pp. 36-40.

Brierley, G.S., et al. (1979), "Interpreting End-Bearing Pile Load Test Results", ASTM, *STP* n. 670, pp. 181-198.

Broms, B. (1972), "Settlements of Pile Groups", *5th PSC*, ASCE, vol. 3, pp. 181-199.

Brooker, E.W., H.O. Ireland (1965), "Earth Pressures at Rest Related to Stress History", *CGJ*, vol. 2, n. 1, febbraio, pp. 1-15.

Brown, A. (1968), "A New Look at Tower Foundation Design", *Hydrocarbon Processing and Petroleum Refiner*, vol. 47, n. 4, aprile, pp. 174-180.

Brown, J.D., G.G. Meyerhof (1969), "Experimental Study of Bearing Capacity in Layered Clays", *7th ICSFME*, vol. 2, pp. 45-51.

Burland, J.B. (1973), "Shaft Friction Piles in Clay — A Simple Fundamental Approach", *Ground Engineering*, vol. 6, n. 3, pp. 30-42.

Butterfield, R., P.K. Banerjee (1971), "The Problem of Pile Group-Pile Cap Interaction", *Geotechnique*, vol. 21, n. 2, giugno, pp. 135-142.

Button, S.J. (1953), "The Bearing Capacity of Footings on a Two-Layer Cohesive Subsoil", *3d ICSMFE*, vol. 1, pp. 332-335.

Campanella, R.G., et al. (1986), "Seismic Cone Penetration Test", *14th PSC*, ASCE, pp. 116-130.

Caquot, A., J. Kerisel (1948), *Tables for the Calculation of Passive Pressure, Active Pressure and Bearing Capacity of Foundations*, Gauthier-Villars, Parigi.

Casagrande, A. (1936), "The Determination of the Preconsolidation Load and its Practical Significance", *1st. ICSMFE*, vol. 3, pp. 60-64.

Casagrande, A. (1948), "Classification and Identification of Soils", *Trans. ASCE*, vol. 113, pp. 901-991.

Casagrande, A., N. Carrillo (1944), "Shear Failure of Anisotropic Materials", *Boston Society of Civil Engineers: Contributions to Soil Mechanics* 1941-53, pp. 122-135.

Caspe, M.S. (1966), "Surface Settlement Adjacent to Braced Open Cuts", *JSMFD*, ASCE, vol. 92, SM 4, luglio, pp. 51-59.

CDF (1984), Practical Guidelines for the Selection, Design, and Installation of Piles, *Report of ASCE Committee on Deep Foundations*.

CERC (1969), Corrosion and Protection of Steel Piling in Seawater, U.S. Army Corps of Engrs., *Coastal Engineering Research Center, Technical Mem.*, n. 27.

Chellis, R.D. (1961), *Pile Foundations*, 2ª ed., McGraw-Hill Book Co.

Chellis (1941), "Discussion: Pile Driving Formulas", *Proc. ASCE*, vol. 67, n. 8, ottobre, pp. 1517-1537.

Chen, W.W. (1978), "Discussion: Laterally Loaded Piles: Program Documentation", *JGED*, ASCE, GT 1, gennaio, pp. 161-162.

Chowdhury, R.N. (1972), "Deformation Problems in Anisotropic Soil-Application of the Finite Element Method", Conference on Finite Element Method in Civil Engineering, Montreal, pp. 653-675.

Chu, K.H., O.F. Afandi (1966), "Analysis of Circular and Annular Slabs for Chimney Foundations", *JACI*, vol. 63, n. 12, dicembre, pp. 1425-1446.

Clemence, S.P., A.O. Finbarr (1981), "Design Considerations for Collapsible Soils", *JGED*, ASCE, vol. 107, GT 3, marzo, pp. 305-317.

Clough, G.W., Y. Tsui (1974), "Performance of Tied-Back Walls in Clay", *JGED*, ASCE, GT 12, dicembre, pp. 1259-1273.

Clough, G.W., et al. (1972), "Design and Observation of a Tied-Back Wall", *5th PSC*, ASCE, vol. 1, parte 2, pp. 1367-1389.

Coyle, H.M., R.R. Castello (1981), "New Design Correlations for Piles in Sand", *JGED*, ASCE, vol. 107, GT 7, luglio pp. 965-986.

Coyle, H.M., et al. (1972), Field Measurements of Lateral Earth Pressures on a Cantilever Retaining Wall, *Research Report* 169-2, TTI, College Station, Texas.

Coyle, H.M., L.C. Reese (1966), "Load Transfer of Axially Loaded Piles in Clay", *JSMFD*, ASCE, vol. 92, SM 2, marzo, pp. 1-26.

Crawford, C.B., K.N. Burn (1962), "Settlement Studies on the Mt. Sinai Hospital", *Engineering Journal of Canada*, Ottawa, vol. 45, n. 12, dicembre.

Cummings, A.E. (1940), "Dynamic Pile Driving Formulas", The Boston Society of Civil Engineers: Contributions to Soil Mechanics 1925-40, pp. 392-413.

Cummings, E.M. (1960), "Cellular Cofferdams and Docks", *Trans. ASCE*, vol. 125, pp. 13-45.

Cunny, R.W., Z.B. Fry (1973), "Vibratory in Situ and Laboratory Soil Moduli Compared", *JSMFD*, ASCE, vol. 99, SM 12, dicembre, pp. 1055-1076.

Cushing, J.J., R.M. Moline (1975), "Curved Diaphragm Cellular Cofferdams", *JGED*, ASCE, vol. 101, GT 10, ottobre, pp. 1055-1059.

Dahlberg, R. (1974), "Penetration Testing in Sweden", *Proc. European Conference on Penetration Testing*, Stoccolma, vol. 1, pp. 115-131.
Dahlberg, R. (1974*a*), "Penetration, Pressuremeter, and Screw-Plate Tests in a Preloaded Natural Sand Deposit", *Proc. European Conference on Penetration Testing*, Stoccolma, vol. 2.2, pp. 71-87.
Dakshanamurthy, V., V. Raman (1973), "A Simple Method of Identifying an Expansive Soil", *Soils and Foundations*, Tokyo, vol. 13, n. 1, marzo, pp. 97-104.
Daniel, D.E., R.E. Olson (1982), "Failure of an Anchored Bulkhead", *JGED*, ASCE, GT 10, ottobre, pp. 1318-1327.
D'Appolonia, D.J., et al. (1970), "Closure: Settlement of Spread Footings on Sand", *JSMFD*, ASCE, vol. 96, SM 2, pp. 754-762.
D'Appolonia, D.J., et al. (1968), "Settlement of Spread Footings on Sand", *JSMFD*, ASCE, vol. 94, SM 3, maggio pp. 735-760.
D'Appolonia, E. (1968), "Load Transfer-Pile Clusters", *Proc. Lecture Series on Foundation Engineering*, Northwestern Univ., pp. 93-152.
D'Appolonia, E., J.A. Hribar (1963), "Load Transfer in a Step-Taper Pile", *JSMFD*, ASCE, vol. 89, SM 6, novembre, pp. 57-77.
D'Appolonia, E., J.P. Romualdi (1963), "Load Transfer in End Bearing Steel H-Piles", *JSMFD*, ASCE, vol. 89, SM 2, pp. 1-26.
Davies, T.G., et al. (1986), "Passive Pressure During Seismic Loading", *JGED*, ASCE, vol. 112, n. 4, aprile, pp. 479-483.
Davisson, M.T. (1970), "BRD Vibratory Driving Formula", *Foundation Facts*, published periodically by Raymond Concrete Pile Division of Raymond International, Inc., Houston, vol. 6, n. 1, pp. 9-11.
Davisson, M.T., K.E. Robinson (1965), "Bending and Buckling of Partially Embedded Piles", *6th ICSMFE*, vol. 2, pp. 243-246.
Davisson, M.T., J.R. Salley (1972), "Settlement Histories of Four Large Tanks on Sand", *5th PSC*, ASCE, vol. 1, parte 2, pp. 981-996.
Dawson, R.F. (1959), "Modern Practices Used in the Design of Foundations for Structures on Expansive Soils", *Quarterly of the Colorado School of Mines: Theoretical and Practical Treatment of Expansive Soils*, Golden, vol. 54, n. 4, pp. 66-87.
Dayal, V., J.H. Allen (1973), "Instrumented Impact Cone Penetrometer", *CGJ*, vol. 10, n. 3, agosto pp. 397-409.
De Beer, E.E. (1970), "Experimental Determination of the Shape Factors and the Bearing Capacity Factors of Sand", *Geotechnique*, vol. 20, n. 4, dicembre, pp. 387-411.
De Beer, E.E. (1965), "The Scale Effect on the Phenomenon of Progressive Rupture in Cohesionless Soils", *6th ICSMFE*, vol. 2, pp. 13-17.
Demartincourt, J.P., G.E. Bauer (1983), "The Modified Borehole Shear Device", *Geotech. Testing Journal*, ASTM, vol. 6, n. 1, marzo, pp. 24-29.
De Mello, V.F. (1971), "The Standard Penetration Test", *4th Panamerican Conf. on SMFE*, San Juan, Puerto Rico (pubblicato da ASCE), vol. 1, pp. 1-86.
Den Hartog, J.P. (1952), *Mechanical Vibrations*, 4ª ed., McGraw-Hill Book Co.
Dewey, F.B., L. Kempner, Jr. (1975), "Discussion: Design of Steel Transmission Pole Structures", *JSD*, ASCE, vol. 101, ST 41, novembre, pp. 2439-2441.
Dismuke, T.D. (1975), "chap. 14: Cellular Structures and Braced Excavations", in *Foundation Engineering Handbook*, Van Nostrand Reinhold Co.
Dismuke, T.D. (1970), "Stress Analysis of Sheet Piling in Cellular Structures", *Proc. Conference: Design and Installation of Pile Foundations and Cellular Structures*, Lehigh University, pp. 339-365.
Dobry, R., G. Gazetas (1986), "Dynamic Response of Arbitrary Shaped Foundations", *JGED*, ASCE, vol. 112, n. 2, febbraio, pp. 109-135.

Dobry, R., G. Gazetas (1985), "Dinamic Stiffness and Damping of Foundations Using Simple Methods", *Proc. Symposium: Vibration Problems in Geotechnical Engineering*, ASCE, pp. 75-107.
Drannikov, A.M. (1967), "Construction on Loess of Small Thickness", *3d Asian Regional Conference on SMFE*, Haifa, vol. 1, pp. 3-4.
Duncan, J.M., C.Y. Chang (1970), "Nonlinear Analysis of Stress and Strain in Soils", *JSMFD*, ASCE, vol. 96, SM 5, pp. 1629-1653.

Endley, S.N., et al. (1979), "A Study of Axial Pile Load Tests", *Symposium on Deep Foundations*, ASCE, pp. 101-121.
ENR (1965), "Michigan Pile Test Program Test Results are Released", *Eng. News-Record*, maggio 20, pp. 26-28, 33-34.
Esrig, M.I., R.C. Kirby (1979), "Soil Capacity for Supporting Deep Foundation Members in Clay", *ASTM STP* n. 670, pp. 27-63.

Fadum, R.E. (1948), "Influence Values For Estimating Stresses in Elastic Foundations", *2d ICSMFE*, vol. 3, pp. 77-84.
Fang, Y., Ishibashi (1986), "Static Earth Pressures With Various Wall Movements", *JGED*, ASCE, vol. 112, n. 3, marzo, pp. 317-333.
Feld, J. (1965), "Tolerance of Structures to Settlement", *JSMFD*, ASCE, vol. 91, SM 3, maggio, pp. 63-67.
Fellinius, H.H. (1972), "Down-Drag on Piles in Clay Due to Negative Skin Friction", *CGJ*, vol. 9, n. 4, novembre, pp. 323-337.
Fischer, J.A., et al. (1972), "Settlement of a Large Mat on Sand", *5th PSC*, ASCE, vol. 1, parte 2, pp. 997-1018.
Flaate, K. (1972), "Effects of Pile Driving in Clays", *CGJ*, vol. 9, n. 1, febbraio, pp. 81-88.
Flaate, K., P. Selnes (1977), "Side Friction of Piles in Clay", *9th ICSMFE*, vol. 1, pp. 517-522.
Flint, R.F. (1971), *Glacial and Quaternary Geology*, John Wiley & Sons.
Focht, J.A., Jr., L.M. Kraft (1977), "Progress in Marine Geotechnical Engineering", *JGED*, ASCE, vol. 103, GT 10, ottobre, pp. 1097-1118.
Focht, J.A., Jr., M.W. O'Neill (1985), "Piles and Other Deep Foundations", *11th ICSMFE*, vol. 4, pp. 187-209.
Foott, R., et al. (1980), "Embankments Through Cross River Swamp, *JGED*, vol. 106, GT 3, marzo, pp. 219-234.
Fox, E.N. (1948), "The Mean Elastic Settlement of a Uniformly Loaded Area at a Depth Below the Ground Surface", *2d ICSMFE*, vol. 1, pp. 129-132.
Francis, A.J. (1964), "Analysis of Pile Groups with Flexural Resistance", *JSMFD*, ASCE, vol. 90, SM 3, maggio, pp. 1-32.
Francis, A.J., et al. (1961), "The Behavior of Slender Point Bearing Piles in Soft Soil", *Symp. on Design of Tall Buildings*, University of Hong Kong, pp. 25-50.

Garbe, C.W., K. Tsai (1972), "Engineering Improvements in Reclaimed Marshland for Housing Project", *Proc. 2d International Symp. on Lower-Cost Housing Problems*, Univ. of Missouri-Rolla, pp. 153-157.
Gates, M. (1957), "Empirical Formula for Predicting Pile Bearing Capacity", *Civil Engineering*, ASCE, vol. 27, n. 3, marzo, pp. 65-66.
Gazetas, G., et al. (1985), "Elastic Settlement of Arbitrarily Shaped Foundations Embedded in Half-Space", *Geotechnique*, vol. 35, n. 3, settembre, pp. 339-346.
Gazioglu, S.M., M.W. O'Neill (1985), "Evaluation of *p-y* Relationships in Cohesive Soils", *Symp. on Analysis and Design of Pile Foundations*, ASCE, pp. 192-213.
Geddes J.D. (1969), "Boussinesq-based Approximations to the Vertical Stresses Caused by Pile-Type Subsurface Loadings", *Geotechnique*, vol. 19, n. 4, dicembre, pp. 509-514.
Geddes, J.D. (1966), "Stresses in Foundation Soils due to Vertical Subsurface Loading", *Geotechnique*, vol. 16, n. 3, settembre, pp. 231-255.

Gibbs, H.J., et al. (1960), "Shear Strength of Cohesive Soils", *1st PSC*, ASCE, pp. 33-162.
Gibbs, H.J., W.Y. Holland (1960), "Petrographic and Engineering Properties of Loess", *Engineering Monograph No. 28*, Bureau of Reclamation, Denver.
Gibbs, H.J., W.G. Holtz (1957), "Research on Determining the Density of Sands by Spoon Penetration Testing", *4th ICSMFE*, vol. 1, pp. 35-39.
Gill, S.A. (1980), "Applications of Slurry Walls in Civil Engineering", *Journal of Construction Division*, ASCE, vol. 106, CO 2, pp. 155-167.
Gleser, S.M. (1983), "Generalized Behavior of Laterally Loaded Piles", ASTM *STP* n. 835, pp. 72-96.
Glick, G.W. (1948). "Influence of Soft Ground in the Design of Long Piles", *2d ICSMFE*, vol. 4, pp. 84-88.
Gogoll, F.H. (1970), "Foundations on Swelling Clay Beneath a Granular Blanket", *Proc. Symp. on Soils and Earth Structures in Arid Climate, Adelaide,* Institution of Engineers (Australia), maggio, pp. 42-48.
Golder, H.Q., et al. (1970), "Predicted Performance of Braced Excavation", *JSMFD*, ASCE, vol. 96, SM 3, maggio, pp. 801-815.
Grant R., et al. (1974), "Differential Settlement of Buildings", *JGED*, ASCE, vol. 100, GT 9, settembre, pp. 973-991.
Grayman, R. (1970), "Cellular Structure Failures", *Proc., Conference: Design and Installation of Pile Foundations and Cellular Structures*, Lehigh University, pp. 383-391.
Greenwood, D.A., G.H. Thomson (1984), *Ground Stabilization: Deep Compaction and Grouting*, ICE Works Construction Guides, Thomas Telford Ltd., (disponibile tramite ASCE).
Gromoko, G.J. (1974), "Review of Expansive Soils", *JGED*, ASCE, vol. 100, GT 6, giugno, pp. 667-687.

Hall, E.B., B.B. Gordon (1963), "Triaxial Testing With Large-Scale High Pressure Equipment", ASTM, *STP* n. 361, pp. 315-328.
Handy, R.L., et al. (1982), "In Situ Stress Determination by Iowa Stepped Blade", *JGED*, vol. 108, GT 11, novembre, pp. 1405-1422.
Hanna, T.H. (1973), "The Influence of Anchor Inclination on Pull-out Resistance of Clays", *CGJ*, vol. 10, n. 4, novembre, pp. 664-669.
Hansen, J.B. (1970), "A Revised and Extended Formula for Bearing Capacity", *Danish Geotechnical Institute Bul.*, n. 28 Copenaghen.
Hansen, J.B. (1967), "The Philosophy of Foundation Design: Design Criteria Safety Factors, and Settlement Limits", *Proc. Symp. on Bearing Capacity and Settlement of Foundations*, Duke University, Durham, NC, pp. 9-13.
Hardin, B.O., W.L. Black (1968), "Vibration Modulus of Normally Consolidated Clay", *JSMFD*, ASCE, vol. 94, SM 2, marzo, pp. 27-42.
Hardin, B.O., V.P. Drnevich (1972), "Shear Modulus and Damping in Soils: Design Equations and Curves", *JSMFD*, ASCE, vol. 98, SM 7, luglio, pp. 667-692.
Hetenyi, M. (1946), *Beams on Elastic Foundations*, The Univ. of Michigan Press, Ann Arbor.
Hiley, A. (1930), "Pile-Driving Calculations with Notes on Driving Forces and Ground Resistances", *The Structural Engineer*, Londra, vol. 8, pp. 246-259, 278-288.
Hirsch, T.J., et al. (1970), "Pile Driving Analysis by One-Dimensional Wave Theory: State of the Art", *HRR* n. 333, pp. 33-54.
Hoar, R.J., K.H. Stokoe, II (1978), "Generation and Measurement of Shear Waves In Situ", ASTM *STP* n. 654, pp. 3-29.
Holtz, R.D. (1978), "Discussion: Sand Drain Theory and Practice", TRR n. 678, *Trans. Research Board*, Washington, pp. 31-35.
Holtz, R.D., et al. (1986), "Lessons From Oedometer Tests on High Quality Samples", *JGED*, ASCE, vol. 112, GT 8, agosto, pp. 768-776.
Holtz, W.G. (1973), "The Relative Density Approach — Uses, Testing Requirements Reliability, and Shortcoming", ASTM *STP* n. 523, pp. 5-17.

Holtz, W.G. (1959), "Expansive Clays — Properties and Problems", *Quarterly of the Colorado School of Mines*: Theoretical and Practical Treatment of Expansive Soils, Golden, CO., vol. 54, n. 4, pp. 89-125.
Holtz, W.G., J.W. Hilf (1961), "Settlement of Soil Foundations Due to Saturation", *5th ICSMFE*, vol. 1, pp. 673-679.
Howe, R.J. (1955), "A Numerical Method for Predicting the Behavior of Laterally Loaded Piling", Exploration and Production Research Division, n. 412, Shell Oil Co., Houston.
Hrennikoff, A. (1950), "Analysis of Pile Foundations with Batter Piles", *Trans. ASCE*, vol. 115, pp. 351-389.
Hughes, J.M., et al. (1975). "A Field Trial of the Reinforcing Effect of a Stone Column in Soil", *Geotechnique*, vol. 25, n. 1, marzo, pp. 31-44.
Hvorslev, M.J. (1949), *Subsurface Exploration and Sampling of Soils for Civil Engineering Purposes*, Waterways Experiment Station (disponibile tramite Engineering Foundation, New York).

Ingold, T.S. (1982), *Reinforced Earth*, Thomas Telford Ltd., London (disponibile tramite ASCE).
Ingold, T.S. (1979), "The Effects of Compaction on Retaining Walls", *Geotechnique*, vol. 29, n. 3, settembre, pp. 265-283.
Ireland, H.O. (1957), "Pulling Tests on Piles in Sand", *4th ICSMFE*, vol. 2, pp. 43-45.
Ismael, N.F., A.M. Jeragh (1986), "Static Cone Tests and Settlement of Calcareous Desert Sands", *CGJ*, vol. 23, n. 3, agosto, pp. 297-303.

Jaky, J. (1948), "Pressure in Silos", *2d ICSMFE*, vol. 1 pp. 103-107.
James, R.G., P.L. Bransby (1970), "Experimental and Theoretical Investigations of a Passive Earth Pressure Problem", *Geotecnique*, vol. 20, n. 1, marzo, pp. 17-37.
Janbu, N. (1976), "Static Bearing Capacity of Friction Piles", *Proc. 6th European Conference on SMFE*, vol. 1.2, pp. 479-488.
Janbu, N. (1957), "Earth Pressures and Bearing Capacity Calculations by Generalized Procedure of Slices" *4th ICSMFE*, vol. 2, pp. 207-212.
Janes, H.W. (1973), "Densification of Sand for Drydock by Terra-Probe", *JSMFD*, ASCE, vol. 99, SM 6, giugno, pp. 451-470.
Jaworski, G.W., et al. (1981), "Laboratory Study of Hydraulic Fracturing", *JGED*, vol. 107, GT 6, pp. 713-732.
Jenike, A.W., J.R. Johanson (1968), "Bin Loads", *JSD*, ASCE, vol. 94 ST 4, aprile, pp. 1011-1041.
Johnson, L.D., D.R. Snethen (1979), "Prediction of Potential Heave of Swelling Soil", *Geotech. Testing Journal,* ASTM, vol. 1, n. 3, settembre, pp. 117-124.
Johnson, S.D. (1975), "Analysis and Design Relating to Embankments", *6th PSC*, ASCE, vol. 2, pp. 1-48.
Johnson, S.J. (1970), "Precompression for Improving Foundation Soil", *JSMFD*, ASCE, vol. 96, SM 1, gennaio, pp. 73-110.
Jumikis, A.R. (1962), *Soil Mechanics*, Van Nostrand Book Co.

Kanja, M.A., C.M. Wolle (1977), "Residual Strength — New Testing and Microstructure", *9th ICSMFE*, vol. 1, pp. 153-154.
Kantey, B.A. (1965), "Session 5: Shallow Foundations and Pavements", *6th ICSMFE*, vol. 3, pp. 453-455.
Karlsson, R., L. Viberg (1967), "Ratio *c/p'* in Relation to Liquid Limit and Plasticity Index with Special Reference to Swedish Clays", *Proc. Geotechnical Conference*, Oslo, vol. 1, pp. 43-47.
Kay, J.N., R.L. Cavagnaro (1983), "Settlement of Raft Foundations", *JGED*, ASCE, vol. 109, n. 11, novembre, pp. 1367-1382.

Kezdi, A. (1972), "Stability of Rigid Structures", *Proc. 5th European Conf. on SMFE*, vol. 2, pp. 105-130.
Kim, T.C., M. Novak (1981), "Dynamic Properties of Some Cohesive Soils of Ontario", *CGJ*, vol. 18, n. 3, agosto, pp. 371-389.
Kjellman, W. (1948), "A Method of Extracting Long Continuous Cores of Undisturbed Soil", *2d ICSMFE*, vol. 1, pp. 255-258.
Klohn, E.J. (1961), "Pile Heave and Redriving", *JSMFD*, ASCE, vol. 87, SM 4, agosto, pp. 125-145.
Ko, H.Y., L.W. Davidson (1973), "Bearing Capacity of Footings in Plane Strain", *JSMFD*, ASCE, vol. 99, SM 1, gennaio, pp. 1-23.
Koerner, R.M., A.E. Lord, Jr. (1986), "Subsurface Soil Monitoring via Acoustic Emissions", *14th PSC*, ASCE, pp. 176-190.
Koerner, R.M., A. Partos (1974), "Settlement of Building on Pile Foundation in Sand", *JGED*, ASCE, vol. 100, GT 3, marzo, pp. 265-278.
Koerner, R.M., J.P. Welsh (1980), *Construction and Geotechnical Engineering Using Synthetic Fabrics*, John Wiley & Sons.
Komorink, A., D. David (1969), "Prediction of Swelling Pressure of Clays", *JSMFD*, ASCE, vol. 95, SM 1, gennaio, pp. 209-225.
Kondner, R.L. (1963), "Hyperbolic Stress-Strain Response: Cohesive Soils", *JSMFD*, ASCE, vol. 89, SM 1, pp. 115-143.
Koppula, S.D. (1986), "Discussion: Consolidation Parameters Derived From Index Tests", *Geotechnique*, vol. 36, n. 2, giugno, pp. 291-292.
Koppula, S.D. (1981), "Statistical Estimation of Compression Index", *Geot. Testing Journal*, ASTM, vol. 4, n. 2, giugno, pp. 68-73.
Koutsoftas, D. (1980), "Undrained Shear Behaviour of a Marine Clay", ASTM *STP* n. 740, pp. 254-276.
Koutsoftas, D., J.A. Fischer (1976), "In-Situ Undrained Shear Strenght of Two Marine Clays", *JGED*, ASCE, vol. 102, GT 9, settembre, pp. 989-1005.
Kovacs, W.D., L.A. Salomone (1982), "SPT Hammer Energy Measurement", *JGED*, ASCE, GT 4, aprile, pp. 599-620.
Kraft, L.M., Jr., et al. (1981), "Theoretical *t-z* Curves", *JGED*, ASCE, GT 11, novembre, pp. 1543-1561.
Kuhn, S.H., A.B. Williams (1961), "Scour Depth and Soil Profile Determinations in River Beds", *5th ICSMFE*, vol. 1, pp. 487-490.

Laba, J.T. (1974), "Adfreezing of Sands to Concrete", *TRR* n. 497, *Trans. Research Board*, Washington, pp. 31-39.
Laba, J.T., J.B. Kennedy (1986), "Reinforced Earth Retaining Wall Analysis and Design", *CGJ*, vol. 23, n. 3, agosto, pp. 317-326.
Lacasse, S., T. Lunne (1986), "Dilatometer Tests in Sand", *14th PSC*, ASCE, pp. 686-699.
Lacroix, Y., et al. (1970), "Design, Construction, and Performance of Cellular Cofferdams", *4th PSC*, ASCE, pp. 271-328.
Ladayni, B. (1972), "In-Situ Determination of Undrained Stress-Strain Behavior of Sensitive Clays with the Pressuremeter", *CGJ*, vol. 9, n. 3, agosto, pp. 313-319.
Ladayni, B. (1963), "Evaluation of Pressuremeter Tests in Granular Soils", *2d Panamerican Conf. on SMFE*, Brasile, vol. 1, pp. 3-20.
Ladd, C.C., R. Foott (1974), "New Design Procedure for Stability of Soft Clays", *JGED*, ASCE, vol. 100, GT 7, luglio, pp. 763-786.
Ladd, C.C., et al. (1977), "Stress-Deformation and Strength Characteristics", *State-of-Art Report*, *9th ICSMFE*, vol. 2, pp. 421-494.
Lade, P.V., K.L. Lee (1976), "Engineering Properties of Soils", *Engineering Report, UCLA-ENG-7652*.
Lambe, T.W. (1970), "Braced Excavations", *4th PSC*, ASCE, pp. 149-218.

Lambe, T.W. (1967), "Stress Path Method", *JSMFD*, ASCE, vol. 93, SM 6, pp. 309-331.
Lambe, T.W. (1964), "Methods of Estimating Settlement", *2d PSC*, ASCE, pp. 47-71.
Lambe, T.W., R.V. Whitman (1979), *Soil Mechanics*, 2ª ed., John Wiley & Sons.
Lambe, T.W., et al. (1970), "Measured Performance of Braced Excavations", *JSMFD*, ASCE, vol. 96, SM 3, maggio, pp. 817-836.
Landau, R.E. (1978), "Sand Drain Theory and Practice", *TRR* n. 678, *Trans. Research Board*, Washington, pp. 22-31.
Landau, R.E. (1966), "Method of Installation as a Factor in Sand Drain Stabilization Design", *HRR* n. 133, pp. 75-96.
Larew, H.G., G.A. Leonards (1962), "A Repeated Load Strength Criterion", *Proc. Highway Research Board*, vol. 41, pp. 529-556.
La Russo, R.S. (1963), "Wanapum Development — Slurry Trench and Grouted Cut-Off", *Proc. of Symposium: Grouts and Drilling Muds in Engineering Practice*, Butterworths, pp. 196-201.
Laursen, E.M. (1962), "Scour at Bridge Crossings", *Trans. ASCE*, vol. 127, parte 1, pp. 166-209.
Laursen, E.M., A. Toch (1956), "Scour Around Bridge Piers and Abutments", *Iowa Highway Research Board Bull. n.* 4, maggio.
Lavielle, C.C., et al. (1985), "Arctic Foundation Selection: A Decision Matrix", *Proc., Conf. Session on Foundtions in Permafrost and Seasonal Frost*, ASCE, pp. 1-14.
Law, K.T. (1979), "Triaxial-Vane Tests on a Soft Marine Clay", *CGJ* vol. 16, n. 1, febbraio, pp. 11-18.
Law, K.T., K.Y. Lo (1976), "Analysis of Shear Induced Anisotropy in Leda Clay", *Proc., Conf. on Numerical Methods in Geomechanics*, ASCE, vol. 1, pp. 329-344.
Lee, K.L. (1970), "Comparison of Plane Strain and Triaxial Tests on Sand", *JSMFD*, ASCE, vol. 96, SM 3, maggio, pp. 901-923.
Leet, L.D. (1950), *Earth Waves*, John Wiley & Sons.
Leonards, G.A. (1968), "Predicting Settlement of Buildings on Clay Soils", *Proc., Lecture Series on Foundation Engineering*, Northwestern Univ. Published by Ill. Inst. of Technology, Chicago, pp. 41-51.
Leonards, G.A., D. Lovell (1979), "Interpretation of Load Tests on High-Capacity Driven Piles", *ASTM*, *STP* n. 670, pp. 388-415.
Leonards, G.A., et al. (1980), "Dynamic Compaction of Granular Soils", *JGED*, ASCE, vol. 106, GT 1, gennaio, pp. 35-44.
Liao, S.S., R.V. Whitman (1986), "Overburden Correction Factors for Sand", *JGED*, vol. 112, n. 3, marzo, pp. 373-377.
Linnel, K.A., G.H. Johnston (1973), "Engineering and Design and Construction in Permafrost Regions: A Review", North American Contribution to 2d Int. Conf. on Permafrost, National Academy of Sciences, Washington, pp. 553-575.
Long, E.L. (1973), "Designing Friction Piles for Increased Stability at Lower Installed Cost in Permafrost", *Proc. 2d International Conference on Permafrost* (vedi Linnel citato sopra), pp. 693-698.
Lorenz, H. (1963), "Utilization of a Thixotropic Fluid in Trench Cutting and the Sinking of Caissons", *Proc. of Symposium on Grouts and Drilling Muds in Engineering Practice*, Butterworths, pp. 202-205.
Lukas, R.G., C.N. Baker (1978), "Ground Movement Associated With Drilled Pier Installations", ASCE Spring Convention, Pittsburg, Preprint n. 3266.
Lunne, T., O. Eide (1976), "Correlations Between Cone Resistance and Vane Shear Strength in Some Scandinavian Soft to Medium Stiff Clays", *CGJ*, vol. 13, n. 4, novembre, pp. 430-441.
Luttenegger, A.J., D.A. Timian (1986), "In Situ Test with K_0 Stepped Blade", *14th PSC*, ASCE, pp. 730-751.

McClelland, B., J.A. Focht, Jr. (1958), "Soil Modulus for Laterally Loaded Piles", *Transactions*, ASCE, vol. 123, pp. 1049-1086.

McGill Conference (1972), "*Proceedings Conf. Finite Element Method in Civil Engineering*, McGill University, Montreal.
McLean, F.G., et al. (1975), "Influence of Mechanical Variables on the SPT", *7th PSC*, ASCE, vol. 1, pp. 287-318.
McManis, K.L., A. Arman (1986), "Sampling and Testing in Stiff Crusted Clays", *ASCE Geotech. Special Publication n. 2*, pp. 1-13.
McRoberts, E.C. (1982), "Shallow Foundations in Cold Regions: Design", *JGED*, ASCE, vol. 108, GT 10, ottobre, pp. 1338-1349.
MacDonald, D.H., A.W. Skempton (1955), "A Survey of Comparisons between Calculated and Observed Settlements of Structures on Clay", Conf. on Correlation of Calculated and Observed Stresses and Displacements, ICE Londra, pp. 318-337.
Mackey, R.D., D.P. Kirk (1967), "At Rest, Active and Passive Earth Pressures", *Proc. SE Asian Regional Conf. on Soil Engineering*, Bangkok, pp. 187-199.
Mackey, R.D., P.A. Mason (1972), "Pressure Distribution during Filling and Discharging a Silo", 5th European Conf. SMFE, Madrid, vol. 1, pp. 55-62.
Mahar, L.J., M.W. O'Neill (1983), "Geotechnical Characteristics of Desiccated Clay", *JGED*, ASCE, vol. 109, GT 1, gennaio, pp. 56-77.
Maitland, J.K., W.L. Schroeder (1979), "Model Study of Circular Sheetpile Cells", *JGED*, ASCE, vol. 105, GT 7, luglio, pp. 805-821.
Makhlouf, H.M., J.J. Stewart (1965), "Factors Influencing the Modulus of Elasticity of Dry Sand", *6th ICSMFE*, vol. 1, pp. 298-302.
Mana, A.I., G.W. Clough (1981), "Prediction of Movements for Braced Cuts in Clay", *JGED*, ASCE, vol. 107, GT 6, pp. 759-777.
Mansur, C.I., A.H. Hunter (1970), "Pile Tests — Arkansas River Project", *JSMFD*, ASCE, vol. 96, SM 5, settembre, pp. 1545-1582.
Marchetti, S. (1980), "In Situ Tests by Flat Dilatometer, *JGED*, ASCE, vol. 106, GT 3, marzo, pp. 299-321.
Massarsch, K.R. (1975), "New Method for Measurement of Lateral Earth Pressure in Cohesive Soils", *CGJ*, vol. 12, n. 1, febbraio, pp. 142-146.
Massarsch, K.R., et al. (1975), "Measurement of Horizontal In-Situ Stresses", *7th PSC*, ASCE, vol. 1, pp. 266-286.
Matlock, H., L.C. Reese (1960), "Generalized Solutions for Laterally Loaded Piles", *JSMFD*, ASCE, vol. 86, SM 5, ottobre, pp. 63-91.
Mayne, P.W. (1984), "K_0-c_u/σ'_{vo} Trends for Overconsolidated Clays", *JGED*, ASCE, vol. 110, n. 10, ottobre, pp. 1511-1516.
Mayne, P.W., F.H. Kulhawy (1982), "K_0-OCR Relationships in Soil", *JGED*, ASCE, vol. 108, n. 6, giugno, pp. 851-872.
Menard, L. (1956), An Apparatus for Measuring the Strength of Soils in Place, *tesi di dottorato*, University of Illinois, Urbana.
Menard, L., Y. Broise (1975), "Theoretical and Practical Aspects of Dynamic Consolidation", *Geotechnique*, vol. 25, n. 1, marzo pp. 3-18.
Meyerhof, G.G. (1976), "Bearing Capacity and Settlement of Pile Foundations", *JGED*, ASCE, vol. 102, GT 3, marzo, pp. 195-228.
Meyerhof, G.G. (1974), "General Report: Outside Europe", *Proc. Conf. on Penetration Testing*, Stoccolma, vol. 2.1, pp. 40-48.
Meyerhof, G.G. (1972), "Stability of Slurry Trench Cuts in Saturated Clay", *5th PSC*, ASCE, vol. 1, parte 2, pp. 1451-1466.
Meyerhof, G.G. (1970), "Safety Factors in Soil Mechanics", *CGJ*, Ottawa, vol. 7, n. 4, novembre, pp. 349-355.
Meyerhof, G.G. (1965), "Shallow Foundations", *JSMFD*, ASCE, vol. 91, SM 2, marzo, pp. 21-31.
Meyerhof, G.G. (1963), "Some Recent Research on the Bearing Capacity of Foundations", *CGJ*, Ottawa, vol. 1, n. 1, settembre, pp. 16-26.

Meyerhof, G.G. (1957), "Discussion on Sand Density by Spoon Penetration", *4th ICSMFE*, vol. 3, p. 110.
Meyerhof, G.G. (1956), "Penetration Tests and Bearing Capacity of Cohesionless Soils", *JSMFD*, ASCE, vol. 82, SM 1, pp. 1-19.
Meyerhof, G.G. (1953), "The Bearing Capacity of Foundations under Eccentric and Inclined Loads", *3d ICSMFE*, vol. 1, pp. 440-445.
Meyerhof, G.G. (1951), "The Ultimate Bearing Capacity of Foundations", *Geotecnique*, vol. 2, n. 4, pp. 301-331.
Meyerhof, G.G., J.I. Adams (1968), "The Ultimate Uplift Capacity of Foundations", *CGJ*, Ottawa, vol. 5, n. 4, novembre, pp. 225-244.
Meyerhof, G.G., J.D. Brown (1967), "Discussion: Bearing Capacity of Footings on Layered Clays", *JSMFD*, ASCE, vol. 93, SM 5, parte 1, settembre, pp. 361-363.
Michigan State Highway Commission (1965), *A Performance Investigation of Pile Driving Hammers and Piles*, Lansing.
Mikhejev V.V., et al. (1961), "Foundation Design in the USSR, *5th ICSMFE*, vol. 1, pp. 753-757.
Milovic, D.M. (1961), "Comparison Between the Calculated and Experimental Values of the Ultimate Bearing Capacity", *6th ICSMFE*, vol. 2, pp. 142-144.
Mindlin, R.D. (1936*a*), "Discussion: Pressure Distribution on Retaining Walls", *1st ICSMFE*, vol. 3, pp. 155-156.
Mindlin, (1936*b*), "Force at a Point in the Interior of a Semi-infinite Solid", *Journal of the American Inst. of Physics* (*Physics*), vol. 7, n. 5, maggio, pp. 195-202.
Mitachi, T., S. Kitago (1976), "Change in Undrained Shear Strength Characteristics of Saturated Remolded Clay Due to Swelling", *Soils and Foundations*, Tokyo, vol. 16, n. 1, marzo, pp. 45-58.
Mitchell, J.K., W.S. Gardner (1975), "In-Situ Measurement of Volume Change Characteristics", *7th PSC*, ASCE, vol. 2, pp. 279-345.
Mitchell, J.K., T.C. Kao (1978), "Measurements of Soil Thermal Resistivity", *JGED*, ASCE, GT 10, ottobre, pp. 1307-1320.
Moe, J. (1961), Shearing Strength of Reinforced Slabs and Footings under Concentrated Loads, *Portland Cement Association Bull. n. D47*.
Moorhouse, D.C., J.V. Sheehan (1968), "Predicting Safe Capacity of Pile Groups", *Civil Engineering*, ASCE, vol. 38, n. 10, ottobre, pp. 44-48.
Morgan, J.R., C.M. Gerrard (1971), "Behavior of Sands Under Surface Loads", *JSMFD*, ASCE, vol. 97, SM 12, dicembre, pp. 1675-1699.
Morgenstern, N.R., et al., (1980), "The Behavior of Friction Piles in Ice and Ice-Rich Soils", *CGJ*, Ottawa, vol. 17, n. 3, agosto, pp. 405-415.
Morrison, A. (1982), "The Booming Business in Wick Drains", *Civil Engineering*, ASCE, Marzo, pp. 47-51.

Nagaraj, T.S., B.R. Srinivasa Murthy (1986), "A Critical Reappraisal of Compression Index", *Geotechnique*, Londra, vol. 36, n. 1, marzo, pp. 27-32.
Nagaraj, T.S. (1985), "Prediction of the Preconsolidation Pressure and Recompression Index of Soils", *Geotech. Testing Journal*, ASTM, vol. 8, n. 4, pp. 199-202.
Nash, J., G.K. Jones (1963), "The Support of Trenches Using Fluid Mud", *Proc. of Symposium: Grouts and Drilling Muds in Engineering Practice*, Butterworths, pp. 177-180.
NBS (1962), "Corrosion of Steel Pilings in Soils", Monograph 58, National Bureau of Standards, U.S. Dept. of Commerce, Washington.
NCHRP (1970), "Scour at Bridge Waterways", Synthesis of Highway Practice N. 5, National Academy of Sciences, Washington.
Newmark, N.M. (1943), "Numerical Procedure for Computing Deflections Moments and Buckling Loads", *Trans. ASCE*, vol. 108, pp. 1161-1234.

Newmark, N.M. (1942), Influence Charts for Computation of Stresses in Elastic Foundations, *Univ. of Illinois Eng. Experiment Sta. Bull. No. 338.*
Newmark, N.M. (1935), Simplified Computation of Vertical Pressures in Elastic Foundations, *Univ. of Illinois Eng. Experiments Sta. Cir. No. 24*, pp. 5-19.
Nordlund, R.L. (1963), "Bearing Capacity of Piles in Cohesionless Soils", *JSMFD*, ASCE, vol. 89, SM 3, maggio, pp. 1-36.
Nordlund, R.L. (1962), "Discussion: Pile Heave and Redriving", *JSMFD*, ASCE, vol. 88, SM 1, febbraio, p. 77.
Novak, M. (1974), "Dynamic Stiffness and Damping of Piles", *CGJ*, Ottawa, vol. 11, n. 4, novembre, pp. 574-594.
Novak M., Y.O. Beredugo (1972), "Vertical Vibration of Embedded Footings", *JSMFD*, ASCE, vol. 98, SM 12, pp. 1291-1310.
Novak M., J.F. Howell (1977), "Torsional Vibration of Pile Foundations", *JGED*, ASCE, vol. 103, GT 4, pp. 271-285.

Ohio (1947), Investigation of the Strenght of the Connection Between a Concrete Cap and the Embedded End of a Steel H-Pile, *Department of Highways Research Report No. 1*, dicembre.
Olsen, H.W., et al. (1986), "Piston Core Properties and Disturbance Effects", *JGED*, ASCE, vol. 112, n. 6, giugno, pp. 608-625.
Olson, L.D., R.W. Thompson (1985), "Case Histories Evaluation of Drilled Pier Integrity by the Stress Wave Propagation Method", Drilled Piers and Caissons II, ASCE, pp. 28-42.
Olson, R.E., et al. (1974), "Finite Difference Analysis for Sand Drain Problems", *6th PSC*, ASCE, vol. 1, pp. 85-110.
Olson, R.E., K.S. Flaate (1967), "Pile Driving Formulas for Friction Piles in Sand", *JSMFD*, ASCE, vol. 93, SM 6, novembre, pp. 279-296.
O'Neill, M.W., O.I. Ghazzaly (1977), "Swell Potential Related to Building Performance", *JGED*, ASCE, vol. 103, GT 12, dicembre, pp. 1363-1379.
O'Neill, M.W., L.C. Reese (1972), "Behavior of Bored Piles in Beaumont Clay", *JSMFD*, ASCE, vol. 98, SM 2, pp. 195-213.
Oosterbaan, M.D., D.G. Gifford (1972), "A Case Study of the Bauer Earth Anchor", *5th PSC*, ASCE, vol. 1, parte 2, pp. 1391-1401.
Orrje, O., B. Broms (1967), "Effects of Pile Driving on Soil Properties", *JSMFD*, vol. 93, SM 5, settembre, parte 1, pp. 59-74.
Ovesen, N.K. (1962), Cellular Cofferdams, Calculation of Methods and Model Tests, *Danish Geotech. Bull. No. 14*, Copenaghen.

Palmer, D.J., J.G. Stuart (1957), "Some Observations on the Standard Penetration Test and a Correlation of the Test with a New Penetrometer", *4th ICSMFE*, vol. 1, pp. 231-236.
Parameswaran, V.R. (1978), "Adfreeze Strenght of Frozen Sand to Model Piles", *CGJ*, Ottawa, vol. 15, n. 4, novembre, pp. 494-500.
Parry, R.H.G. (1977), "Estimating Bearing Capacity of Sand from SPT Values", *JGED*, ASCE, vol. 103, GT 9, settembre, pp. 1014-1019.
Patrick, A., et al. (1980), "Screw Plate Testing of a Soft Clay", *CGJ*, Ottawa, vol. 17, n. 4, novembre, pp. 465-472.
PCA (1951), "Concrete Piles: Design, Manufacture, Driving", Portland Cement Association, Chicago.
PCI (1974), "Tentative Recommendations for Prestressed Rock and Soil Anchors", Prestressed Concrete Institute, Chicago.
Peck, R.B. (1969), "Deep Excavations and Tunneling in Soft Ground", *7th ICSMFE*, State-of-Art Volume, pp. 225-290.
Peck, R.B. (1965), "Pile and Pier Foundations", *JSMFD*, ASCE, vol. 91, SM 2, marzo, pp. 33-38.

Peck, R.B. (1943), "Earth Pressure Measurements in Open Cuts", *Trans. ASCE*, vol. 108, pp. 1008-1058.
Peck, R.B. (1942), "Discussion: Pile Driving Formulas", *Proc. ASCE*, vol. 68, n. 2, febbraio, pp. 323-324.
Peck, R.B., H.O. Ireland (1961), "Full-Scale Lateral Load Test of a Retaining Wall Foundation", *5th ICSMFE*, vol. 2, pp. 453-458.
Penner, E., L.W. Gold (1971), "Transfer of Heaving Forces by Adfreezing to Columns and Foundation Walls in Frost-Susceptible Soils", *CGJ*, Ottawa, vol. 8, n. 4, novembre, pp. 514-526.
Penner, E., W.W. Irwin (1969), "Adfreezing of Leda Clay to Anchored Footing Columns", *CGJ*, Ottawa, vol. 6, n. 3, agosto, pp. 327-337.
Plantema, G. (1957), "Influence of Density on Sounding Results in Dry, Moist and Saturated Sands", *4th ICSMFE*, vol. 1, pp. 237-240.
Polshin, D.E., R.A. Tokar (1957), "Maximum Allowable Non-Uniform Settlement of Structures", *4th ICSMFE*, vol. 1, pp. 402-405.
Poulos, H.G. (1979), "Group Factors for Pile-Deflection Estimation", *JGED*, ASCE, vol. 105, GT 12, dicembre, pp. 1489-1509.
Poulos, H.G., E.H. Davis (1974), *Elastic Solutions for Soil and Rock Mechanics*, John Wiley & Sons.
Poulos, H.G. (1968), "The Settlement Behavior of Single Axially Loaded Incompressible Piles and Piers", *Geotechnique*, vol. 18, n. 3, settembre, pp. 351-371.
Prescott, D.M., et al. (1973), Field Measurements of Lateral Earth Pressures on a Pre-Cast Panel Retaining Wall, *Research Report*, n. 169-3, Texas Transport. Institute, College Station.
Purushothamaraj, P., et al. (1974), "Bearing Capacity of Strip Footings in Two Layered Cohesive-Friction Soils", *CGJ*, Ottawa, vol. 11, n. 1, febbraio, pp. 32-45.

Rausche, F., G.G. Goble (1979), "Determination of Pile Damage by Top Measurements", ASTM, *STP* n. 670, pp. 500-506.
Raymond, G.P. (1970), "Discussion: Stresses and Displacements in a Cross-Anisotropic Soil", *Geotechnique*, vol. 20, n. 4, dicembre, pp. 456-458.
Reddy, A.S., A.J. Valsangkar (1970), "Buckling of Fully and Partially Embebbed Piles", *JSMFD*, ASCE, vol. 96, SM 6, novembre, pp. 1951-1965.
Reese, L.C. (1978), "Design and Construction of Drilled Shafts", *JGED*, ASCE, vol. 104, GT 1, gennaio, pp. 95-116.
Reese, L.C. (1977), "Laterally Loaded Piles — Program Documentation", *JGED*, ASCE, vol. 103, GT 4, aprile, pp. 287-305.
Reese, L.C., M.W. O'Neill (1969), "Field Tests of Bored Piles in Beaumont Clay", ASCE Annual Meeting, Chicago, Preprint n. 1008.
Reese, L.C., et al. (1976), "Behavior of Drilled Piers Under Axial Loading", *JGED*, ASCE, vol. 102, n. 5, maggio, pp. 493-510.
Reese, L.C., et al. (1970), "Generalized Analysis of Pile Foundations", *JSMFD*, ASCE vol. 96, SM 1, gennaio, pp. 235-250.
Rehnman, S.E., B.B. Broms (1972), "Lateral Pressures on Basement Wall: Results from Full-Scale Tests", *Proc. 5th European Conf. SMFE*, vol. 1, pp. 189-197.
Rendon-Herrero, O. (1980), "Universal Compression Index Equation", *JGED*, ASCE, vol. 106, GT 11, novembre, pp. 1178-1200.
Richardson, A.M., Jr., R.V. Whitman (1963), "Effect of Strain-Rate upon Undrained Shear Resistance of Saturated Remolded Fat Clay", *Geotechnique*, vol. 13, n. 4, dicembre, pp. 310-324.
Richart, F.E. (1948), "Reinforced Wall and Column Footings", *JACI*, vol. 45, ottobre-novembre, pp. 97-127, 237-260.
Richart, F.E., Jr. (1959), "Review of the Theories for Sand Drains", *Trans. ASCE*, vol. 124, pp. 709-736.
Richart, F.E., et al. (1970), *Vibrations of Soils and Foundations*, Prentice-Hall Inc.

Riggs, C.O. (1986), "American Standard Penetration Test Practice", *14th PSC*, ASCE, pp. 949-967.
Riggs, C.O., et al. (1983), "Reproducible SPT Hammer Impact Force with an Automatic Free Fall SPT Hammer System", *Geotech. Testing Journal*, ASTM, vol. 6, n. 4, dicembre, pp. 201-209.
Robertson, P.K., R.G. Campanella (1983), "Interpretation of Cone Penetration Tests, Part I: Sand", *CGJ*, Ottawa, vol. 20, n. 4, novembre, pp. 718-733.
Robertson, P.K., et al. (1983), "SPT-CPT Correlations", *JGED*, ASCE, vol. 109, n. 11, pp. 1449-1459.
Robinson, K.E. (1978), "Horizontal Subgrade Reaction Estimated From Lateral Loading Tests on Timber Piles", ASTM, *STP*, n. 670, pp. 520-536.
Robinson, K.E., H. Taylor (1969), "Selection and Performance of Anchors for Guyed Transmission Towers", *CGJ*, Ottawa, vol. 6, n. 2, maggio, pp. 119-137.
Rogers, P. (1952), "Design of Large Coal Bunkers", *Trans. ASCE*, vol. 117, pp. 579-595.
Rosenfarb, J.L., W.F. Chen (1972), "Limit Analysis Solutions of Earth Pressure Problems", *Fritz Eng. Laboratory Report 355.14*, Lehigh University.
Rossow, M.P. (1984), "Sheetpile Interlock Tension in Cellular Cofferdams", *JGED*, ASCE, vol. 110, n. 10, ottobre, pp. 1446-1458.
Rowe, P.W. (1957), "Sheet Pile Walls in Clay", *PICE*, vol. 7, luglio, pp. 629-654.
Rowe, P.W. (1952), "Anchored Sheet Pile Walls", *PICE*, vol. 1, parte 1, pp. 27-70.
Rowe, P.W., K. Peaker (1965), "Passive Earth Pressure Measurements", *Geotechnique*, vol. 15, n. 1, marzo, pp. 57-78.
Rowe, R.K., H.H. Armitage (1987), "A Design Method for Drilled Piers in Soft Rock", *CGJ*, vol. 24, n. 1, pp. 126-142.

Saada, A.S., F.C. Townsend (1981), "State of the Art: Strength Laboratory Testing of Soils", ASTM, *STP*, n. 740, pp. 7-77.
Safarian, S.S. (1969), "Design Pressures of Granular Material in Silos", *JACI* vol. 66, n. 8, agosto, pp. 647-655.
Samson, L., J. Authier (1986), "Change in Pile Capacity with Time: Case Histories", *CGJ*, Ottawa, vol. 23, n. 2, maggio, pp. 174-180.
Saul, W.E. (1968), "Static and Dynamic Analysis of Pile Foundations", *JSD*, ASCE, vol. 94, ST 5, maggio, pp. 1077-1100.
Sayles, F.H. (1985), "Creep of a Strip Footing on Ice-Rich Permafrost", *Proc. Conf. Session: Foundations in Permafrost and Seasonal Frost*, ASCE, pp. 29-51.
Schmertmann, J.H. (1986), "Dilatometer to Compute Foundation Settlement", *14th PSC*, ASCE, pp. 303-321.
Schmertmann, J.H. (1979), "Statics of SPT", *JGED*, ASCE, vol. 105, GT 5, Maggio, pp. 655-670.
Schmertmann, J.H. (1978), "Guidelines for Cone Penetration Test: Performance and Design, FHWA-TS-78-209 (report), US Dept. of Transportation.
Schmertmann, J.H. (1978*a*), "Use of the SPT to Measure Dynamic Soil Properties — Yes But...!" ASTM, *STP*, n. 654, pp. 341-355.
Schmertmann, J.H. (1975), "The Measurement of In-Situ-Shear Strength, *7th PSC*, ASCE, vol. 2, pp. 57-138.
Schmertmann, J.H. (1970), "Static Cone to Compute Static Settlement Over Sand", *JSMFD*, ASCE, vol. 96, SM 3, maggio, pp. 1011-1043.
Schmertmann, J.H. (1955), "The Undisturbed Consolidation Behaviour of Clay", *Trans. ASCE*, vol. 120, pp. 1201-1233.
Schroeder, W.L., P. Roumillac (1983), "Anchored Bulkheads with Sloping Dredge Lines", *JGED*, ASCE, vol. 109, n. 6, giugno, pp. 845-851.
Schultze, E. (1961), "Distribution of Stress Beneath a Rigid Foundation", *5th ICSMFE*, vol. 1, pp. 807-813.

Schwab, E., B. Broms (1976), "Bottom Heave in Soft Soils", *Proc. 6th European Conf. SMFE*, vol. 1.2, pp. 647-650.
Seed, H.B., I.M. Idriss (1971), "Simplified Procedure for Evaluating Soil Liquefaction Potential", *JSMFD*, ASCE, vol. 97, SM 9, settembre, pp. 1249-1273.
Seed, et al. (1985), "Influence of SPT Procedures in Soil Liquefaction Resistance Evaluations", *JGED*, ASCE, vol. 111, n. 12, dicembre, pp. 1425-1445.
Sheeler, J.B. (1968), "Summarization and Comparison of Engineering Properties of Loess in the United States", *HRR* n. 212, pp. 1-9.
Sherif, M., et al. (1982), "Earth Pressures Against Rigid Retaining Walls", *JGED*, ASCE, vol. 108, GT 5, maggio, pp. 679-695.
Shields, D.H., A.Z. Tolunay (1973), "Passive Pressure Coefficients by Method of Slices", *JSMFD*, ASCE, vol. 99, SM 12, dicembre, pp. 1043-1053.
Shields, D.H., et al. (1977), "Bearing Capacity of Foundations Near Slopes", *9th ICSMFE*, vol. 1, pp. 715-720.
Shukla, S.N. (1984), "A Simplified Method for Design of Mats on Elastic Foundation", *JACI Proc.*, vol. 81, n. 5, settembre-ottobre, pp. 469-475.
Simons, N.E. (1960), "Effect of Overconsolidation on the Shear Strength Characteristics of an Undisturbed Oslo Clay", *1st PSC*, ASCE, pp. 747-763.
Singh, S., et al. (1982), "Undisturbed Sampling of Satured Sands by Freezing", *JGED*, ASCE, vol. 108, GT 2, febbraio, pp. 247-264.
Skempton, A.W. (1984), "Standard Penetration Test Procedures...", *Geotechnique*, vol. 36, n. 3, pp. 425-447.
Skempton, A.W. (1951), "The Bearing Capacity of Clays", *Proc. Building Research Congress*, vol. 1, pp. 180-189.
Skempton, A.W., R.D. Northey (1952), "Sensitivity of Clays", *Geotechnique*, vol. 3, n. 1, pp. 40-51.
Smith, E.A. (1962), "Pile Driving Analysis by the Wave Equation, *Trans. ASCE*, vol. 127, parte 1, pp. 1145-1193.
Smith, J.E. (1957), "Test of Concrete Deadman Anchorages in Sand", ASTM, *STP*, n. 206, pp. 115-132.
Smith, J.W., M. Zar (1964), "Chimney Foundations", *JACI*, vol. 61, n. 6, giugno, pp. 673-700.
Snethen, D.R. (1980), "Characteristics of Expansive Soils Using Soil Suction Data", *4th Int. Conf. on Expansive Soils*, ASCE, vol. 1, pp. 54-75.
Soderman, L.G., et al. (1968), "Field and Laboratory Studies of Modulus of Elasticity of a Clay Till", *HRR* n. 243, pp. 1-11.
Sokolovski, V.V. (1960), *Statistics of Soil Media*, 2ª ed., Butterworth Scientific Publ.
Sorota, M., E.B. Kinner (1981), "Cellular Cofferdam for Trident Drydock: Design", *JGED*, ASCE, vol. 107, GT 12, dicembre, pp. 1643-1655.
Sowers, G.F. (1968), "Foundation Problems in Sanitary Land Fills", *Jour. of Sanitary Eng. Div.*, ASCE, vol. 94, SA 1, pp. 103-116.
Spangler, M.G., (1936), "The Distribution of Normal Pressure on a Retaining Wall Due to a Concentrated Surface Load", *1st ICSMFE*, vol. 1, pp. 200-207.
Spangler, M.G., R.L. Handy (1982), *Soil Engineering*, 4ª ed., Harper and Row.
Spangler, M.G., J. Mickle (1956), Lateral Pressure on Retaining Walls Due to Backfill Surface Loads, *HRB Bull.* n. 141, pp. 1-18.
Stagg, K.G., O.C. Zienkiewicz (1968), *Rock Mechanics in Engineering Practice*, John Wiley & Sons.
Steinbrenner, W. (1934), "Tafeln zur Setzungsberechnung", *Die Strasse*, vol. 1, ottobre, pp. 121-124.
Sung, T.Y. (1953), "Vibrations in Semi-infinite Solids Due to Periodic Surface Loading", ASTM, *STP*, n. 156, pp. 35-68.

Swatek, E.P., Jr. (1970), "Summary: Cellular Structure Design and Installation", *Proc. Conf. Design and Installation of Pile Foundations and Cellular Structures*, Lehigh Univ., Envo Publishing Co. pp. 413-435.
Swatek, E.P., Jr., (1967), "Cellular Cofferdam Design and Practice", *Jour. Waterways and Harbors Div.*, ASCE, vol. 93, WW 3, agosto, pp. 109-132.
Swatek, E.P., Jr., et al. (1972), "Performance of Bracing for Deep Chicago Excavation", *5th PSC*, ASCE, vol. 1, parte 2, pp. 1303-1322.
Swiger, W.F. (1974), "Evaluation of Soil Modulii", *6th PSC*, ASCE, vol. 2, pp. 79-92.

Taliercio, A., G. Sacchi Landriani (1988), "A Failure Condition for Layered Rock", *Int. J. Rock Mech. Min. Sci.*, vol. 25, n. 5, pp. 299-303.
Tavenas, F.A. (1971), "Load Test Results on Friction Piles in Sand", *CGJ*, Ottawa, vol. 8, n. 1, febbraio, pp. 7-22.
Tavenas, F.A., J.M. Audibert (1977), "Application of Wave Equation Analysis to Friction Piles in Sand", *CGJ*, Ottawa, vol. 14, n. 1, febbraio, pp. 34-51.
Tavenas, F.A., R. Audy (1972), "Limitations of the Driving Formulas for Predicting the Bearing Capacity of Piles in Sand", *CGJ*, Ottawa, vol. 9, n. 1, febbraio, pp. 47-62.
Taylor, D.W. (1948), *Fundamentals of Soil Mechanics*, John Wiley & Sons.
Taylor, P.W. (1967), "Design of Spread Footings for Earthquake Loadings", *Proc. 5th Australia-New Zealand Conf. on SMFE*, pp. 215, 221-229.
Terzaghi, K. (1943), "Evaluation of Coefficient of Subgrade Reaction", *Geotechnique*, vol. 5, n. 4, dicembre, pp. 297-326.
Terzaghi, K. (1945), "Stability and Stiffness of Cellular Cofferdams", *Trans. ASCE*, vol. 110, pp. 1083-1202.
Terzaghi, K. (1943), *Theoretical Soil Mechanics*, John Wiley & Sons.
Terzaghi, K. (1934), "Large Retaining Wall Tests", *Engineering-News Record*, febbraio 1, pp. 136-140; febbraio 22, pp. 259-262; marzo 8, pp. 316-318; marzo 29, 403-406; aprile 19, pp. 503-508.
Terzaghi, K., R.B. Peck (1967), *Soil Mechanics in Engineering Practice*, 2ª ed., John Wiley & Sons.
Tettinek, W., F. Matl (1953), "A Contribution to Calculating the Inclination of Eccentrically Loaded Foundations", *3d ICSMFE*, vol. 1, pp. 461-465.
Thorburn, S., R. MacVicar (1971), "Pile Load Tests to Failure in the Clyde Alluvium", *Proc. Conference on Behavior of Piles*, ICE, pp. 1-8.
Timoshenko, S., J.N. Goodier (1951), *Theory of Elasticity*, 2ª ed., McGraw-Hill Book Co.
Timoshenko, S., S. Woinowsky-Krieger (1959), *Theory of Plates and Shells*, 2ª ed., McGraw-Hill Book Co.
Tomlinson, M.J. (1971), "Some Effects of Pile Driving on Skin Friction", *Proc. Conference on Behavior of Piles*, ICE, Londra, pp. 107-114.
Tschebotarioff, G.P. (1973), *Foundations, Retaining and Earth Structures*, 2ª ed., McGraw-Hill Book Co.
Tschebotarioff, G.P. (1962), "Chap. 5: Retaining Structures", in: *Foundation Engineering*, McGraw-Hill Book Co., pp. 466-468.
Tschebotarioff, G.P. (1949), Large Scale Earth Pressure Tests with Model Flexible Bulkheads, *Final Report to Bureau of Yards and Docks U.S. Navy*, Princeton University.
Tsytovich, A. (1975), *The Mechanics of Frozen Ground*, McGraw-Hill Book Co.
TVA (1966), Cofferdams on Rock, *Technical Monograph 75*, Tennessee Valley Authority, Knoxville.

Underwood, L.B. (1967), "Classification and Identification of Shales" *JSMFD*, ASCE, vol. 93, SM 6, novembre, pp. 97-116.
US Steel (1974), Steel Sheet Piling Design Manual, United States Steel Corp., Pittsburg.

Valsangkar, A.J., G.G. Meyerhof (1979), "Experimental Study of Punching Coefficients and Shape Factor for Two-Layered Soils", *CGJ*, Ottawa, vol. 16, n. 4, novembre, pp. 802-805.
Van Weele, A.A. (1957), "A Method of Separating the Bearing Capacity of a Test Pile into Skin-Friction and Point Resistance", *4th ICSMFE*, vol. 2, pp. 76-80.
Vesić, A.S. (1977), Design of Pile Foundation, *NCHRP Synthesis of Practice* n. 42, Transportation Research Board, Washington.
Vesić, A.S. (1975), Principles of Pile Foundation Design, *Soil Mechanics Series* n. 38, School of Engrg., Duke University.
Vesić, A.S. (1974), Cap. 3: Bearing Capacity of Shallow Foundations, in *Found. Engrg. Handbook*, Van Nostrand Reinhold Book Co.
Vesić, A.S. (1973), "Analysis of Ultimate Loads of Shallow Foundations", *JSMFD*, ASCE, vol. 99, SM 1, gennaio, pp. 45-73.
Vesić, A.S. (1970), "Tests on Instrumented Piles, Ogeechee River Site", *JSMFD*, ASCE, vol. 96, SM 2, marzo, pp. 561-584.
Vesić, A.S. (1969), "Discussion: Effects of Scale and Compressibility on Bearing Capacity of Surface Foundations", *7th ICSMFE*, vol. 3, pp. 270-272.
Vesić, A.S. (1961*a*), "Bending of Beams Resting on Isotropic Elastic Solid", *Jour. Engrg. Mech. Division*, ASCE, vol. 87, EM 2, aprile, pp. 35-53.
Vesić, A.S. (1961*b*), "Beams on Elastic Subgrade and the Winkler's Hypothesis", *5th ICSMFE*, vol. 1, pp. 845-850.
Vesić, A.S., G.W. Clough (1968), "Behavior of Granular Materials Under High Stresses", *JSMFD*, ASCE, vol. 94, SM 3, maggio, pp. 661-688.
Vesić, A.S., W.H. Johnson (1963), "Model Studies of Beams Resting on a Silt Subgrade", *JSMFD*, ASCE, vol. 89, SM 1, febbraio, pp. 1-31.
Vidal, H. (1969), "The Principle of Reinforced Earth", *HRR* n. 282, pp. 1-16.
Vijayvergiya, V.N., J.A. Focht, Jr. (1972), "A New Way to Predict Capacity of Piles in Clay", OTC Paper 1718, 4th Offshore Technology Conference, Houston.
Villet, W.C., J.K. Mitchell (1981), "Cone Resistance, Relative Density and Friction Angle", *Proc. Symposium: Cone Penetration Test. and Experience*, ASCE, St. Louis, pp. 178-208.
Vitone, D.M., A.J. Valsangkar (1986), "Stresses From Loads Over Rectangular Areas", *JGED*, ASCE, vol. 112, n. 10, ottobre, pp. 961-964.

Walker, W.L. (1986), "Vane Shear Testing for Staged Construction", *14th PSC*, ASCE, pp. 1108-1118.
Wang, C.K. (1970), *Matrix Methods of Structural Analysis*, 2ª ed., Intext Educational Publishers, Scranton.
Wang, C.K. (1967), "Stability of Rigid Frames with Non-Uniform Members", *JSD*, ASCE, vol. 93, ST 1, febbraio, pp. 275-294.
Ware, K.R., et al. (1973), "Tieback Wall Construction — Results and Controls", *JSMFD*, ASCE, vol. 99, SM 12, dicembre, pp. 1135-1152.
Webb, D.L., A.L. Melvill (1971), "Discussion: Static Cone to Compute Static Settlement over Sand", *JSMFD*, ASCE, vol. 97, SM 3, marzo, pp. 587-589.
Westegaard, H.M. (1938), "A Problem of Elasticity Suggested by..." in: *Contributions to the Mechanics of Solids*, volume del 60° anniversario di Stephen Timoshenko, The Macmillan Co.
Whitaker, T., R.W. Cooke (1966), "An Investigation of the Shaft and Base Resistances of Large Bored Piles in London Clay", *Proc. Conference: Large Bored Piles*, ICE, Londra, pp. 7-49.
White, L.S. (1953), " Transcona Elevator Failure: Eye-Witness Account", *Geotechnique*, vol. 3, 209-214 (vedi anche Peck e Bryant nello stesso volume, pp. 201-208).
Whitman, R.V., F.E. Richart, Jr, (1967), "Design Procedures for Dynamically Loaded Foundations", *JSMFD*, ASCE, vol. 93, SM 6, novembre, pp. 169-193.
Wineland, J.D. (1975), "Borehole Shear Device", *7th PSC*, ASCE, vol. 1, pp. 511-522.
Winter, E. (1982), "Suggested Practice for Pressuremeter Testing in Soils", *Geot. Testing Journal*, ASTM, vol. 5, n. 3/4, settembre, pp. 85-88.

Winter, E., A. Rodriguez (1975), "Evaluation and Friction Angle in Granular Soils Using the Pressuremeter", *6th PSC*, ASCE, vol. 1, pp. 523-535 (vedi anche vol. 2, pp. 271-273).
Woods, R.D. (1986), "In Situ Tests For Foundation Vibrations", *14th PSC*, ASCE, pp. 336-375.
Wright-Patterson AFB (1965, 1968, 1971), *Proceedings (1st, 2d, 3d) Conferences on Matrix Methods in Structural Mechanics*, Dayton, Ohio (disponibile tramite NTIS, Springfield).
Wroth, C.P. (1984), "The Interpretation of In Situ Tests", *Geotechnique*, vol. 34, n. 4, dicembre, pp. 449-489.
Wroth, C.P. (1979), "Correlation of Some Engineering Properties of Soils", *2d Int. Conf. on Behaviour of Offshore Structures*, Londra, pp. 121-132.
Wroth, C.P. (1975), "In-Situ Measurement of Initial Stresses and Deformation Characteristics", *6th PSC*, ASCE, vol. 2, pp. 181-230.
Yamada, Y., K. Ishihara (1979), "Anisotropic Deformation Characteristics of Sand Under Three Dimensional Stress Conditions", *Soils and Foundations*, Tokyo, vol. 19, n. 2, giugno, pp. 79-84.
Yer., B.C., B. Scanlon (1975), "Sanitary Landfill Settlement Rates", *JGED*, ASCE, vol. 101, GT 5, maggio, pp. 475-487.
Yong, R.N., V. Silvestri (1979), "Anisotropic Behavior of a Sensitive Clay", *CGJ*, Ottawa, vol. 16, n. 2, maggio, pp. 335-350.
Yoshida, I., R. Yoshinaka (1972), "A Method to Estimate Modulus of Horizontal Subgrade Reaction for a Pile", *Soils and Foundations*, Tokyo, vol. 12, n. 3, settembre, pp. 1-17.

Zeitlen, J.G., S. Paikowsky (1982), "Discussion: New Design Correlations for Piles in Sands", *JGED*, ASCE, vol. 108, GT 11, novembre, pp. 1515-1518.
Zienkiewicz, O.C. (1977), *The Finite Element Method*, 3ª ed., McGraw-Hill Book Co.